Material Safety Data Sheet May be used to comply with

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be Consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY (As Used on Label and List)				not permitted. If nation is availabl	
<u>Tattoo Paint No. RD-6</u>			ked to indi		-, F
Section I					
Manufacturer's Name				ne Number	
Dynamic Color Co.	(954)) 462	-0261		
Address (Number, Street, City, State, and ZIP Code)	Tele	phon	e Number	for Information	
P.O. Box 21083	(954)) 462	-0261		
Ft. Lauderdale					
Florida	Date 4-12-		pared		
33335	Sign	atur	e of Prepar	er (optional)	
Section II - Hazard Ingredients/Identity Information	. <u>.</u>				
				Other Limi	
Hazardous Components (Specific Chemical Identity; Common Name(s))	; OSHA PEL		ACGIH TLV	Recommend d	we %(optional)
Pigment Red 269 (CAS#67990-05-0)	NA		NA	NA	10%
Isopropyl Alcohol (CAS# 67-63-0)	400p	pm	NA	NA	10%
$(\mathbf{pH} = \mathbf{8.46 \text{ neat}})$		•			
ŇA					
NA					
Page 1					

Boiling Point (deg.C.)	92	Specific Gravity (H ₂ 0 = 1)		93
Vapor Pressure (mm Hg.)	50	Melting Point (deg.C.)		Ca. 0
Vapor Density (AIR = 1)	Ca. 2	Evaporation Rate (Butyl Acetate = 1)		<1
Solubility in Water Dispersible in all proportions	s.	,		
Appearance and Odor red pigment dispersion with	faint odor.			
Section IV – Fire and Explosior	n Hazard I	Data		
Flash Point (Method Used) None, TOC		Flammable Limits NA	NA	JEL NA
Extinguishing Media NA				
Special Fire Fighting Procedur NA	es			
NA				
Unusual Fire and Explosion Ha NA NA	azards			
(Reproduce locally)			OSHA 174, Sept.	1985

Section V – Read	• /	ta			0.5	
Stability	Unstabl	e			Conditions to Avoid NA	
Stability	Stable		X		Oxidizing agents NA	
Incompatibility NA	(Materia	s to Av	oid)			
Hazardous Deco NA	ompositio	n or B	yproducts			
Hazardous Polymerization	May Oc	cur			Conditions to Avoid	
	Will No Occur	t	X		NA	
Section VI – Hea	alth Haza	rd Dat	a			
Route(s) of Entr	·y	Inhala	ntion? Yes	Skin?	Yes	Ingestion? Yes
	e known	for the	e pigment or disp	0	rritant for some indi	viduals.
Page 2						

Carcinogenicity:	NTP? No	IARC Monographs? No	OSHA Regulated? NA
Signs and Symptoms	of Exposure		
None			
Medical Conditions (Generally Aggravated by	Exposure	
None known.			
Emergency and First	Aid Procedures		
For eye exposure, f For inhalation, no		s of water. Iduce vomiting and seek medical he	lp.
Section VII– Precauti	ons for Safe Handling an	nd Use	
	Case Material is Release		
Absorb liquid with	paper towels or other ab	sorbent material.	
Waste Disposal Meth	od		
Dispose of material	in accordance with local	, state and federal regulations	
Steps to Be Taken in	Handling and Storing		
	osure, use neoprene or ru	quired but safety glasses should be ıbber gloves.	used.
Other Precautions			
If large quantities a	are involved, use safety s	hower and eyewash fountain.	
Page 3			

Section VIII– Control Measures

Respiratory Protection	on (Specify Type)	
None required with	normal handling.	
Ventilation None required.	Local Exhaust None required.	Special None
	Mechanical (<i>General</i>) None required.	Other None

Yes Type)
ype)
5

WAIVER OF LIABILITY

THE MSDS INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. ALL DATA ARE PROVIDED WITHOUT WARRANTY, EXPRESS OR IMPLIED, REGARDING THEIR CORRECTNESS OR ACCURACY.

<u>APPLIED CONSUMER SERVICES, INC.</u> AND <u>DYNAMIC COLOR CO.</u>, SHALL NOT BE LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING, STORAGE, OR CONTACT WITH THE ABOVE PRODUCT. IT IS THE USER'S RESPONSIBILITY BOTH TO DETERMINE SAFE CONDITIONS FOR THE USE AND HANDLING OF THE PRODUCT AND TO ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSE RESULTING FROM THE USE OF THE PRODUCT.