Material Safety Data Sheet May be used to comply with

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be Consulted for specific requirements.

U.S. Department of Labor Occupational Safety and Health Administration

Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072

IDENTITY (As Used on Label and List)		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space			
Tattoo Paint No. YD-4			ked to indi		oie, the space
Section I					
Manufacturer's Name				ne Number	
Dynamic Color Co.		(954) 462	-0261		
Address (Number, Street, City, State, and ZIP Code)		Telephon	e Number	for Informatio	n
P.O. Box 21083		(954) 462	-0261		
Ft. Lauderdale					
Florida		Date Pre _l 4-12-01	pared		
33335		Signature	of Prepar	er (optional)	
Section II - Hazard Ingredients/Identity Information	n '				
Hazardous Components (Specific Chemical Identity Common Name(s))	7; OS PE		ACGIH TLV	Other Lir Recomme d	
	Ţ.			·	
Pigment Yellow 74 (CAS# 635B-91-32) N	VΑ	N	A	NA	10%
Acrylic Resin (TSRN00195201005-5102P)	N	IA	NA	NA	5%
(Proprietary resin)					
Isopropyl Alcohol (CAS# 67-63-0)	4	00ppm	NA	NA	10%
(pH = 8.43 neat)					
NA					
Page 1					

Boiling Point (deg.C.)	92	Specific Gravity (H ₂ 0 = 1)			1.07
Vapor Pressure (mm Hg.)	50	Melting Point (deg.C.)			Ca. 0
Vapor Density (AIR = 1)	Ca. 2	Evaporation Rate (Butyl Acetate = 1)			< 1
Solubility in Water Dispersible in all proportion	ıs.	•			
Appearance and Odor Yellow pigment dispersion v	vith faint o	dor.			
Section IV – Fire and Explosio	n Hazard I)ata			
Flash Point (Method Used)		Flammable Limits		UE	L
None, TOC		NA	NA	N	JA
Extinguishing Media			·		
NA					
Special Fire Fighting Procedu	res				
NA					
NA	·		· · · · · · · · · · · · · · · · · · ·		

NA NA

OSHA 174, Sept. 1985

(Reproduce locally) Section V – Reactivity Data

Unusual Fire and Explosion Hazards

Stability	Unstable		Conditions to Avoid NA		
Stability	Stable	X	Oxidizing agents NA		
Incompatibility NA	Incompatibility (Materials to Avoid) NA				
Hazardous Decomposition or Byproducts NA					
Hazardous Polymerization	May Occur		Conditions to Avoid		
	Will Not Occur	X	NA		

Section VI – Health Hazard Data

Route(s) of Entry	Inhalation? Yes	Skin? Yes	Ingestion? Yes
Health Hazards (Acu	ite and Chronic)	·	
1	own for the pigment or disposant for the pigment or disp		

Page 2

Carcinogenicity:	NTP? No	IARC Monographs?	OSHA Regulated?		
		No	NA		
Signs and Symptoms of	Exposure	*			
	_				
None					
Modical Conditions Co.	nerally Aggravated by Exp	ACCITING.			
Medical Collabolis Ge.	nerany Aggravateu by Exp	oosure			
None known.					
Emergency and First A	id Procedures				
For skin exposure, no	o irritation is likely				
	sh with large quantities of	water.			
For inhalation, no iri					
For ingestion, drink	two glasses of water, induc	e vomiting and seek medical he	dp.		
C4' VIII D4'					
	ns for Safe Handling and Us				
Steps to be Taken in Ca	ase Material is Released or	Spinea			
Absorb liquid with pa	aper towels or other absorb	ent material.			
Waste Disposal Method	i				
Dispose of material in	n accordance with local sta	to and foderal regulations			
Dispose of material in accordance with local, state and federal regulations					
Steps to Be Taken in H	andling and Storing				
		ed but safety glasses should be	used.		
	For prolonged exposure, use neoprene or rubber gloves.				
Store in cool well-ver	itilated area.				
Other Precautions					
If large quantities are	e involved, use safety show	er and eyewash fountain.			
Do 20 2					
Page 3					

Section VIII- Control Measures

Respiratory Protection	on (Specify Type)		
None required with	normal handling.		
Ventilation	Local Exhaust	Special	
None required.	None required.	None	
	Mechanical (General)	Other	
	None required.	None	
	·		
Protective Gloves		Eye Protection	
None required		Yes	
Other Protective Clo	thing or Equipment (Specify T	ype)	
Generally not requ	iired.		
Work/Hygienic Pract	tices		
Normal care and c	leanliness.		
Page 4 *U.S.	.G.P.O. 1986-491 – 529/4		

WAIVER OF LIABILITY

THE MSDS INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. ALL DATA ARE PROVIDED WITHOUT WARRANTY, EXPRESS OR IMPLIED, REGARDING THEIR CORRECTNESS OR ACCURACY.

APPLIED CONSUMER SERVICES, INC. AND DYNAMIC COLOR CO., SHALL NOT BE LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING, STORAGE, OR CONTACT WITH THE ABOVE PRODUCT. IT IS THE USER'S RESPONSIBILITY BOTH TO DETERMINE SAFE CONDITIONS FOR THE USE AND HANDLING OF THE PRODUCT AND TO ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSE RESULTING FROM THE USE OF THE PRODUCT.