

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/19/2018

Reviewed on 03/19/2018

#### ldentification

- · Product Identifier
- · Trade Name: Electrum Gold Standard Tattoo Stencil Primer
- · Relevant identified uses of the substance or mixture and uses advised against:
- **Product Description:** Lotion used for tattoo stencil transfer
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

One Ink Seven, LLC 24266 County Road 45

Elkhart, Indiana 46516 Phone: 574-975-3632 http://electrumsupply.com

· Emergency telephone number: Robert Smead - 574-304-3992

#### 2 Hazard(s) Identification

· Classification of the substance or mixture:

The product does not need classification according to OSHA HazCom Standard 29 CFR paragraph (d) of §1910.1200(g) and GHS Rev 03.

- · Label elements:
- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material
- · Signal word: Non-Regulated Material
- · Hazard statements: Non-Regulated Material
- · Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



Health = 0Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 1

REACTIVITY | Physical Hazard = 0

Hazard(s) not otherwise classified (HNOC): None known

# 3 Composition/Information on Ingredients

· Non-hazardous components:	
7732-18-5 Water, distilled water, deionized water	40-60%

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:		
CAS: 57-55-6 RTECS: TY 2000000	Propylene Glycol	25-50%
CAS: 9005-65-6	Polysorbate 80	2-12%
		(Contd. on page 2)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/19/2018 Reviewed on 03/19/2018

#### Trade Name: Electrum Gold Standard Tattoo Stencil Primer

#### · Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

#### 4 First-Aid Measures

- · Description of first aid measures:
- General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water.

If eye irritation occurs, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## 5 Fire-Fighting Measures

- · Extinguishing media:
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters:
- Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

## 6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of the collected material according to regulations.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

TIOLECTIV	e Action Official for Officials	
PAC-1:		
57-55-6	Propylene Glycol	30 mg/m³
67-63-0	Isopropyl alcohol	400 ppm
102-71-6	Triethanolamine, TEA	15 mg/m³
64-02-8	Tetrasodium ethylenediaminetetraacetate	75 mg/m³
PAC-2:		
57-55-6	Propylene Glycol	1,300 mg/m³
67-63-0	Isopropyl alcohol	2000* ppm
		(Contd. on page 3



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/19/2018 Reviewed on 03/19/2018

#### Trade Name: Electrum Gold Standard Tattoo Stencil Primer

102-71-6	Triethanolamine, TEA	240 mg/m³
64-02-8	Tetrasodium ethylenediaminetetraacetate 8	
· PAC-3:		
57-55-6	Propylene Glycol	7,900 mg/m³
67-63-0	Isopropyl alcohol	12000** ppm
102-71-6	Triethanolamine, TEA	1,500 mg/m <sup>3</sup>
64-02-8	Tetrasodium ethylenediaminetetraacetate	5,000 mg/m³

## 7 Handling and Storage

- · Handling
- · Precautions for safe handling: No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities:
- Storage
- · Requirements to be met by storerooms and receptacles: Store in a cool, dry place.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s): No further relevant information available.

## 8 Exposure Controls/Personal Protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters:
- · Components with occupational exposure limits:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### 57-55-6 Propylene Glycol

WEEL Long-term value: 10 mg/m<sup>3</sup>

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- *Material of gloves:* Not applicable.
- · Penetration time of glove material: Not applicable.
- · Eye protection:



Goggles recommended during refilling.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/19/2018 Reviewed on 03/19/2018

Trade Name: Electrum Gold Standard Tattoo Stencil Primer

## 9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Lotion White Odour: Mild

Odor threshold: Not determined.pH-value: Not applicable.

· Change in condition

Melting point/Melting range:<br/>Boiling point/Boiling range:Not determined.<br/>≥100 °C (≥212 °F)Flash point:≥103 °C (≥217.4 °F)

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: ≥371 °C (≥699.8 °F)

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self-igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

**Lower:** ≥2.6 Vol % **Upper:** ≤12.6 Vol %

· *Vapor pressure* @ **20** °**C** (**68** °**F**): ≤23 hPa (≤17.3 mm Hg)

· Density:

Relative density:Not determined.Vapor density:Not determined.Evaporation rate:Not determined.

· Solubility in / Miscibility with:

Water: Fully miscible.

Partition coefficient (n-octanol/water): Not determined.

Tartition coemicient (n-octano), water). Not determined.

· Viscosity:

**Dynamic:** Not determined. **Kinematic:** Not determined.

· Solvent content:

 Organic solvents:
 1.3 %

 Water:
 55.0 %

 VOC content:
 1.34 %

 Solids content:
 1.0 %

Other information: No further relevant information available.

## 10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/19/2018 Reviewed on 03/19/2018

#### Trade Name: Electrum Gold Standard Tattoo Stencil Primer

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:				
57-55-6 P	57-55-6 Propylene Glycol			
Oral	LD50	20,000 mg/kg (Rat)		
Dermal	LD50	20,800 mg/kg (Rabbit)		
Inhalative	LC50/96 hours	52,930 mg/l (Pimephales)		
	Intravenous	6,630 mg/kg (Mouse)		
		6,423 mg/kg (Rat)		
		6,500 mg/kg (Rabbit)		
9005-65-6	9005-65-6 Polysorbate 80			
Oral	LD50	25,000 mg/kg (Mouse)		

- · Primary irritant effect:
- On the skin: No irritating effect.
- On the eye: No irritating effect.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

67-63-0	Isopropyl alcohol	3
102-71-6	Triethanolamine, TEA	3
9003-01-4	Carbomer	3
· NTP (Natio	onal Toxicology Program):	
None of the	e ingredients are listed.	
· OSHA-Ca	(Occupational Safety & Health Administration):	
None of the	e ingredients are listed.	

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/19/2018 Reviewed on 03/19/2018

Trade Name: Electrum Gold Standard Tattoo Stencil Primer

## 12 Ecological Information

- · Toxicity:
- Aquatic toxicity:

## 57-55-6 Propylene Glycol

EC50 >10,000 mg/l (Daphnia)

- Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · *Mobility in soil:* No further relevant information available.
- Results of PBT and vPvB assessment:
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

## 13 Disposal Considerations

- · Waste treatment methods:
- · Recommendation:

Smaller quantities can be disposed of with household waste.

Observe all federal, state and local environmental regulations when disposing of this material.

- Uncleaned packagings
- · **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

#### 14 Transport Information

· UN-Number:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name:

· DOT, ADR/ADN, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es):

· DOT, ADR/ADN, ADN, IMDG, IATA

· Class: Non-Regulated Material

· Packing group:

· DOT, ADR/ADN, IMDG, IATA Non-Regulated Material

• Environmental hazards: Not applicable. • Special precautions for user: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· UN "Model Regulation": Non-Regulated Material

#### 15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 Isopropyl alcohol

(Contd. on page 7)



# Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/19/2018 Reviewed on 03/19/2018

Trade Name: Electrum Gold Standard Tattoo Stencil Primer

· TSCA (Tox	ic Substances Control Act):	
•	Propylene Glycol	
	Polysorbate 80	
73398-61-5	Caprylic / capric triglyceride	
67-63-0	Isopropyl alcohol	
3055-94-5	2-[2-(dodecyloxy)ethoxy]ethoxy]ethanol	
102-71-6	Triethanolamine, TEA	
9003-01-4	Carbomer	
11138-66-2	Xanthan Gum	
64-02-8	Tetrasodium ethylenediaminetetraacetate	
7732-18-5	Water, distilled water, deionized water	
· California F	Proposition 65:	
· Chemicals	known to cause cancer:	
None of the	ingredients are listed.	
· Chemicals	known to cause reproductive toxicity for females:	
None of the	ingredients are listed.	
· Chemicals	known to cause reproductive toxicity for males:	
None of the	ingredients are listed.	
· Chemicals	known to cause developmental toxicity:	
None of the	ingredients are listed.	
· New Jersey	y Right-to-Know List:	
57-55-6 P	ropylene Glycol	
67-63-0 Is	opropyl alcohol	
102-71-6 Ti	riethanolamine, TEA	
New Jersey	y Special Hazardous Substance List:	
67-63-0 Iso	propyl alcohol	F3
Pennsylvar	nia Right-to-Know List:	
57-55-6 P	ropylene Glycol	
67-63-0 Is	opropyl alcohol	
102-71-6 Ti	riethanolamine, TEA	
Pennsylvar	nia Special Hazardous Substance List:	
_	propyl alcohol	E
· Carcinoger	nic categories:	
_	onmental Protection Agency):	
-	ingredients are listed.	
	hold Limit Value established by ACGIH):	
•	propyl alcohol	A4
	(National Institute for Occupational Safety and Health):	
	ingredients are listed.	
	elements Non-Regulated Material	

- · GHS label elements Non-Regulated Material
- · Hazard pictograms: Non-Regulated Material · Signal word: Non-Regulated Material



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 03/19/2018 Reviewed on 03/19/2018

#### Trade Name: Electrum Gold Standard Tattoo Stencil Primer

· Hazard statements: Non-Regulated Material

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## <u>16 Other Information</u>

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of preparation / last revision: 03/19/2018 / 1
- Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106